

INSTRUCTIONS FOR USE
KYNMOBI™ (kin-moe'-bee)
(apomorphine hydrochloride)
Sublingual Film

Read this Instructions for Use before you start taking KYNMOBI and each time you get a refill. There may be new information. This information does not take the place of talking with your healthcare provider about your medical condition or treatment.

Important

- KYNMOBI is for sublingual (under your tongue) use only.
- KYNMOBI must be taken whole. **Do not** cut, chew, or swallow KYNMOBI.
- **Do not take** KYNMOBI until you talk with your healthcare provider about how to take it.
- Check the expiration date printed on the foil pouch. **Do not** use KYNMOBI if the expiration date has passed.
- **Do not** take more than 1 dose of KYNMOBI every 2 hours.
- **Do not** take more than 5 doses of KYNMOBI each day.

How to store KYNMOBI

- Store KYNMOBI at room temperature between 68°F to 77°F (20°C to 25°C).
- Keep KYNMOBI in the foil pouch until you are ready to take it.
- **Keep KYNMOBI and all medicines out of the reach of children.**

How KYNMOBI is packaged

Inside each child-resistant carton is a plastic tray with a pull-out handle that holds the sealed pouches of KYNMOBI sublingual film (see **Figure A**). Each KYNMOBI sublingual film comes in a sealed foil pouch (see **Figure B**).

Figure A





Figure B



ATTENTION: Read the Instructions for Use on the other side of this leaflet.

INSTRUCTIONS FOR USE

Instructions on How to Use the Child-Resistant Carton

STEP 1 Open Carton

Open carton from the end with the arrow. Push in both tabs to unlock. Hold tabs in. (See **Figure C**.)
Lift up tray handle. Pull out tray (see **Figure D**).



Figure C



Figure D

STEP 2 Remove Pouch

Push finger up through the hole in the bottom of tray. (See **Figure E**.)
Firmly pull one (1) pouch from the tray (see **Figure F**).




Figure E



Figure F

STEP 3 Close Carton

To close, slide tray in until it clicks. (See **Figure G**.)
This ensures the carton remains child resistant (see **Figure H**).



Figure G



Figure H

Instructions for Taking KYNMOBI

Step 4

- Your healthcare provider has told you to take KYNMOBI 10 mg, 15 mg, 20 mg, 25 mg, or 30 mg. Complete Steps 5 through 10 to take KYNMOBI.

Step 5

Drink water. Before taking each KYNMOBI, drink water to moisten your mouth. This helps the film dissolve more easily (see **Figure I**).



Figure I

Step 6

Open the KYNMOBI foil pouch.

Hold the wing tabs on the pouch between your thumb and pointer finger of each hand. Make sure to place your fingers directly on the raised dots on each wing tab.

Gently pull the wing tabs apart to open the pouch (see **Figure J**).




Figure J

Step 7

Take KYNMOBI out of the pouch.

Hold KYNMOBI between your fingers by the outside edges and remove the entire KYNMOBI from the pouch (see **Figure K**).

KYNMOBI must be taken whole. Throw away KYNMOBI if it is broken or missing pieces. Use a new KYNMOBI for your dose.





Figure K

Step 8

Place entire KYNMOBI under your tongue. Place KYNMOBI as far back under your tongue as you can (see **Figure L**). Close your mouth.

**Figure L****Step 9**

Keep KYNMOBI in place until it has completely dissolved (see **Figure M**).

- **Do not** chew or swallow KYNMOBI.
- **Do not** swallow your saliva or talk while KYNMOBI is dissolving because this can affect how well the medicine in KYNMOBI is absorbed.

**Figure M****Step 10**

Open your mouth to check if KYNMOBI has completely dissolved.


It can take **about 3 minutes** for KYNMOBI to dissolve.

After the film completely dissolves, you may swallow.

For assistance with the KYNMOBI child-resistant carton, please ask your care partner for help. You may also contact your doctor or Sunovion Customer Service at 1-888-394-7377 with questions or for support. This Instructions for Use has been approved by the U.S. Food and Drug Administration.

Manufactured for Sunovion Pharmaceuticals Inc. Marlborough, Massachusetts 01752 USA.

KYNMOBI and **KYNMOBI** are trademarks of Sunovion Pharmaceuticals Inc.

SUNOVION and  are registered trademarks of Sumitomo Dainippon Pharma Co. Ltd. Sunovion Pharmaceuticals Inc. is a U.S. subsidiary of Sumitomo Dainippon Pharma Co. Ltd.

©2020 Sunovion Pharmaceuticals Inc. All rights reserved.

Issued 5/2020

10414-01

(See reverse side for additional information)